LUNKKI

Sandwich panel SP2D X-PIR

Sandwich panel SP2D X-PIR is available in thicknesses 100 - 120 mm.

It is a perfect solution for most buildings and structures, combining **high quality** with **very good technical properties**. The panel's excellent quality ensures **very good fire resistance properties**, thus increasing fire safety of buildings.

The core of this sandwich panel is made of rigid, HCFC-free, self-extinguishing and sustainable polyisocyanurate foam (PIR). Its **excellent thermal insulation properties** enable the decrease of panel thickness which transfers directly to lower transportation and assembly costs, as well as **significant savings** of building's life cycle costs.

Application:

- External walls
- Internal walls



The information on our website is accurate to the best of our knowledge and understanding. Although every effort has been made to ensure accuracy, the company cannot accept any responsibility for any direct or indirect damages resulting from possible errors or incorrect application of the information of this publication. We reserve the right to make changes.

Properties

Model name	Sandwich panel SP2D X-PIR
Standard module width	1000 mm
Minimum length	2000 mm
Maximum Length	18500 mm
External facing thickness	0.5 mm
Internal facing thickness	0.4 mm
External Fire Exposure	NRO

Thickness D (mm)	100	120
Weight (kg/m ²)	12.8	13.5
U-value (W/m ² K)	0.22	0.18
Sound insulation Rw (dB)	24	24
Reaction to fire	B-s1,d0	B-s1,d0

Wall fire resistance values & max span horizontal / vertical orient ation (m):	100	120
El 15 (fire from inside)	4.0 / 7.5	4.0 / 7.5
El 15 (fire from outside)	7.5 / 7.5	7.5 / 7.5

Detailed information regarding the application of fire resistance ratings can be obtained from Ruukki Sales.

All properties are declared in accordance with EN 14509 and related standards.


Coatings and colors


Materials

Fac ing	Coating	Corrosivit y categor y	UV res istanc e	Colours
Ext ern al	GreenCoat HIARC MA X	C4	Ruv4	RAL7035, RAL9006 (RR40), RAL9007 (RR41)
Ext ern al	Polyester	C3	Ruv 2-3	RAL1015, RAL3013, RAL5005, RAL6011, RAL7015 (RR23), RAL7016 (R R288), RAL7035, RAL9002, RAL9006, RAL9007, RAL9010
Int ern al	Polyester	C3	-	RAL9002, RAL9010

UV resistance describes how well the coating is able to keep its original colour and gloss levels in accordance with EN10169. The higher the class, the better the resistance.

Corrosivity categories describe the outdoor climate conditions in accordance with EN12944. The higher the category, the more corrosive environment.





Design tools



Traypan® software for designing sandwich panels

With TrayPan®, you can design metal faced sandwich panels made by Ruukki. A panel structure can be designed as a single- or multi-span construction. You can easily give, with a few parameters, both suction and pressure loads caused by the wind. The application also calculates the necessary fasteners.

Go to Traypan®


Download BIM objects to your desktop


ProdLib brings Ruukki products as BIM models directly to your desktop in 3D form for design programs AutoCAD, Autodesk Revit, Archicad and Tekla Structures. Product libraries compile all necessary design models and detailed drawings in one place. Library updates are automatically notified, so as a user you can be sure that your product information is constantly up to date. ProdLib can also be used as a standalone desktop application.

Go to BIM library

Technical documents

Here you can find all technical documents related to Ruukki's sandwich panels. Documents are organised by document type. Click to enter document library.





Certificates and approvals

Here you can find all certificates and approvals related to Ruukki's sandwich panels. Documents are organised by document type. Click to enter document library.

