


Ruukki Emotion

[SEND CONTACT REQUEST](#)

Properties

Model name	Ruukki Emotion
------------	----------------

Perforation layout



10 % perforation, hole size $d = 4$ mm, centres $c = 12$ mm

15 % perforation, hole size $d = 4$ mm, centres $c = 10$ mm

30 % perforation, hole size $d = 4$ mm, centres $c = 7$ mm

40 % perforation, hole size $d = 5$ mm, centres $c = 7.5$ mm

Materials

Coatings and colors

Colour chart	Coating	Colour
Standard	GreenCoat HIARC (steel)	RR20, RR21, RR23, RR40, RR41, RR42, RR43
	GreenCoat HIARC Matt (steel)	RR40, RR41, RR45
Extended	GreenCoat HIARC (steel)	RR11, RR22, RR24, RR26, RR29, RR30, RR31, RR32, RR33, RR34, RR35, RR37, RR44, RR45, RR750 More RR colours
	PVDF (aluminium)	Most common RAL colours
	Powder paint (steel&aluminium)	RAL colours

Minimum order sizes:

Standard chart: No limitations

Extended chart:

- GreenCoat HIARC (steel): 100m²
- PVDF (aluminium): 500 m²
- Powder paint (steel&aluminium): 100m²

BIM objects

To make both architectural and structural design work easier, with accurate product information in 3D form, we offer a selection of CAD / BIM -objects for Autodesk Revit and ArchiCAD.



Download BIM objects for Revit



Download BIM objects for ArchiCad

Download documents

Declaration of performance

Design profile S18:



Declaration of Performance 28/PP/VIM - Low profiles

PDF, 233.1 KB

Other design profiles:



Declaration of Performance 25/PP/PAR - Cladding products

PDF, 56.7 KB

Order form



Ruukki Design Profile order form

XLSM, 0.6 MB

Maintenance instructions



Ruukki powder coated facade claddings - Maintenance instructions

PDF, 0.6 MB



Ruukki colour coated steel - Maintenance instructions

PDF, 0.6 MB

Accessory documents



EN_Cladding_Accessories_02_2020

PDF, 3.6 MB



Profiled sheets and purlins accessories

PDF, 4.8 MB

References



Commercial buildings –Lohi shopping center

Lohi is a 3-storey shopping center with a surface area of 22,000 square meters in the center of Lohja and home to 15 stores and 4 restaurants.