

Ruukki Primo Skyline 100

Create contemporary facades with new Ruukki Primo Skyline 100 panels. This panel is ideal for horizontal orientation and comes with special features:

- · Big product sizes and excellent surface flatness
- Unique tilted joints for low maintenance needs and longer life span (Patent pending)
- · Continuously adjustable joint width
- · Individually replaceable if damaged

Ruukki® Emotion

Available also with perforation and backlighting.



SEND CONTACT REQUEST


Properties

Model name	Ruukki Primo Skyline 100
Horizontal joint	535 mm continuously adjustable
Vertical joint	535 mm continuously adjustable
Width	2004000 mm
Height	2001000 mm
Depth	40 mm
Fastening Style	Hidden

Fastening style

Fastening style	Horizontal joint width	Individually replaceable panel	
Concealed	535 mm	No	
Visible	20 mm and 35 mm	Yes	

Perforation layout



Dimension/hole	mm
a	≥10
b	≥10
С	≥ d+25

Symmetrical perforation: Fully perforated in symmetrical square layout. Only 1 hole size (d) and distance (a, b, c) per product.

Art perforation: Fully or partly perforated in freely chosen locations. All hole sizes (d) and distances (c) available per product. Also other hole shapes are possible.

Materials

Material	Gr ad e	Material thickn ess (mm)	Weight (kg/m²)	Surface tre atment	Available with p erforation	Stock m aterial	Reaction to fire
Aluminium co mposite	A2	4.0	9.6	PVDF, HQP E	No	No	A2-s1, d0
Aluminium co mposite	FR	4.0	9.0	PVDF, HQP E	Yes	No	B-s1, d0

Note: Aluminum composite material in grade A2 is not recommended for coastal areas (<1500m from sea).

Coatings and colors

C o a ti n g	Standard colours
P V D F	Metallic White, Dark Grey Metallic, Traffic Red 3020, Pure White 9010, Copper Metallic, Bronze Metallic, Light G rey 7035, Grey Metallic, Anthracite Grey 7016, Umbra Grey 7022, Silver Metallic, Smoke Metallic, Champagne Metallic, Manganese Metallic, Jet Black 9005, Grey Brown 8019, Purple Red 3004, Signal Yellow 1003, Ultrama rine Blue 5002
H Q P E	Pure Orange 2004

For extended colour range & other finishes, please click here.

Minimum order quantity for Primo Plana 10, Primo Skyline 100 & 150:


FR grade: Standard & extended colour range 150 m²; other finishes 750 m²

A2 grade: Standard & extended colour range & other finishes: 750 m^2

Minimum order quantity for Primo Skyline 1000:

Standard & extended colour range & other finishes: 1000 m²





BIM objects



Download BIM objects to your desktop

ProdLib brings Ruukki products as BIM models directly to your desktop in 3D form for design programs AutoCAD, Autodesk Revit, Archicad and Tekla Structures. Product libraries compile all necessary design models and detailed drawings in one place. Library updates are automatically notified, so as a user you can be sure that your product information is constantly up to date. ProdLib can also be used as a standalone desktop application.

Go to BIM library

Download documents

Declaration of performance



Primo Skyline CE marking
PDF. 234.8 KB

Order form



Ruukki Primo order form_1.4 XLSM, 1.0 MB

Maintenance instructions




Primo Skyline_Maintenance instructions
PDF, 30.4 KB

References



DOMINA Shopping Mall in Latvia

Ruukki supplied full envelope solution for renovation project of DOMINA shopping center in Latvia; Load bearing sheets, energy efficient sandwich panels and hi...



Kverneland Bil – Car dealer in Haugesund, Norway

The car dealer Kverneland Bil is a leading player in Norway. In Haugesund, where they sell Jaguar and Land Rover, they built new beautiful premises where the ch...