


## Ruukki Primo Skyline 150

Create contemporary facades with new Ruukki Primo Skyline 150 panels. This panel is ideal for vertical orientation and comes with special features:

- Big product sizes and excellent surface flatness
- Unique tilted joints for low maintenance needs and longer life span (Patent pending)
- Continuously adjustable joint width
- Individually replaceable if damaged

Ruukki® Emotion

Available also with perforation and backlighting.



**SEND CONTACT REQUEST**


# Properties

Model name	Ruukki Primo Skyline 150
Horizontal joint	5...35 mm continuously adjustable
Vertical joint	5...30 mm continuously adjustable
Width	200...1400 mm
Height	200...4000 mm
Depth	40 mm
Fastening Style	Hidden

## Fastening style

Fastening style	Horizontal joint width	Individually replaceable panel
Concealed	For horizontal joints 5...20 mm	No
Visible	For horizontal joints 21...35 mm	Yes

## Perforation layout



Dimension/hole	mm
a	≥10
b	≥10

c	≥ d+25
d	16, 20, 30, 40, 50, 60

Symmetrical perforation: Fully perforated in symmetrical square layout. Only 1 hole size (d) and distance (a, b, c) per product.

Art perforation: Fully or partly perforated in freely chosen locations. All hole sizes (d) and distances (c) available per product. Also other hole shapes are possible.

## Materials

Material	Grade	Material thickness (mm)	Weight (kg/m <sup>2</sup> )	Surface treatment	Available with perforation	Stock material	Reaction to fire
Aluminium composite	A2	4.0	9.6	PVDF, HQPE	No	No	A2-s1, d0
Aluminium composite	FR	4.0	9.0	PVDF, HQPE	Yes	No	B-s1, d0

Note: Aluminum composite material in grade A2 is not recommended for coastal areas (<1500m from sea).

## Coatings and colors

C o a t i n g	Standard colours
P V D F	Metallic White, Dark Grey Metallic, Traffic Red 3020, Pure White 9010, Copper Metallic, Bronze Metallic, Light Grey 7035, Grey Metallic, Anthracite Grey 7016, Umbra Grey 7022, Silver Metallic, Smoke Metallic, Champagne Metallic, Manganese Metallic, Jet Black 9005, Grey Brown 8019, Purple Red 3004, Signal Yellow 1003, Ultramarine Blue 5002
H	Pure Orange 2004

For extended colour range & other finishes, please click [here](#).

Minimum order quantity for Primo Plana 10, Primo Skyline 100 & 150:

FR grade: Standard & extended colour range 150 m<sup>2</sup>; other finishes 750 m<sup>2</sup>

A2 grade: Standard & extended colour range & other finishes: 750 m<sup>2</sup>

Minimum order quantity for Primo Skyline 1000:

Standard & extended colour range & other finishes: 1000 m<sup>2</sup>



**Primo Bronze Metallic**



**Primo Champagne Metallic**



**Primo Copper Metallic**



**Primo Dark Grey Metallic**



**Primo Grey Metallic**



**Primo Manganese Metallic**



Primo Metallic White



Primo Silver Metallic



Primo Smoke Metallic



Primo Signal Yellow 1003



Primo Pure Orange 2004



Primo Purple Red 3004



Primo Traffic Red 3020



Primo Ultramarine Blue 5002



Primo Anthracite Grey 7016



Primo Umbra Grey 7022



Primo Light Grey 7035



Primo Grey Brown 8019



Primo Jet Black 9005



Primo Pure White 9010

# BIM objects



## Download BIM objects to your desktop

ProdLib brings Ruukki products as BIM models directly to your desktop in 3D form for design programs AutoCAD, Autodesk Revit, Archicad and Tekla Structures. Product libraries compile all necessary design models and detailed drawings in one place. Library updates are automatically notified, so as a user you can be sure that your product information is constantly up to date. ProdLib can also be used as a standalone desktop application.

[Go to BIM library](#)

## Download documents

### Declaration of performance



#### Primo Skyline CE marking

PDF, 234.8 KB

### Order form



#### Ruukki Primo order form\_1.4

XLSM, 1.0 MB


### Maintenance instructions



#### Primo Skyline\_Maintenance instructions

PDF, 30.4 KB

# References



## Office and warehouse, Leszno, Poland

New premises of a transportation company from Leszno, Poland, consist of a warehouse and an office part. The façade of the office part is clad with Ruukki® Prim...