

Liberta Elegant 500

Create a classic and harmonious surface with hidden fix Liberta Elegant 500 for ventilated steel and aluminium facade systems.


Ruukki® Emotion

Available also with perforation and backlighting.




SEND CONTACT REQUEST

Properties



Model name	Liberta Elegant 500
Depth	25, 30 mm
Horizontal joint	5, 10, 15, 20, 25, 30 mm
Vertical joint	5, 10, 15, 20, 25, 30 mm
Fastening Style	Hidden

Perforation layout




Dimension/hole	mm
a	≥10

b	≥10
С	≥ d+25
d	16, 20, 30, 40, 50, 60

Symmetrical perforation: Fully perforated in symmetrical square layout. Only 1 hole size (d) and distance (a, b, c) per product.

Art perforation: Fully or partly perforated in freely chosen locations. All hole sizes (d) and distances (c) available per product.

Size table



Materials

Material	Material thick ness (mm)	Weight (kg/m²)	Surface treat ment	Available with perforation	Minimum order a mount (m²)	Reactio n to fire
Steel	1.2	11.4	GreenCoat Hia	No	Standard colours:	A1

			rc		No limitations Extended colours: 900	
	1.2	11.4	Powder coatin	Yes	100	A2 - s1, d0
Aluminium	2.0	6.5	Powder coatin g	Yes	250	-
	2.0	6.5	PVDF coating	yes	250	-
	1.5	4.9	Powder coatin	Yes	250	-
	1.5	4.9	PVDF coating	Yes	350	-
Rheinzink	1.0	8.7	Pre-patinated (no coating)	Limited	100	A1
Copper, Bras s & Bronze	1.0	10.8	Pre-patinated (no coating)	Limited	60	A1
	1.5	16.2	Pre-patinated (no coating)	Limited	60	A1
Stainless ste el	1.0	9.5	Smooth (2B)	Limited	125	A1
	1.0	9.5	Wet grinded (4 N)	Limited	125	A1

Coatings and colors

GreenCoat HIARC (Standard colours)

Gloss level: 35



RR20 Winter white



RR21 Pebble grey



RR23 Mountain grey



RR40 Metallic silver



RR41 Metallic dark silver



RR42 Metallic gold



RR43 Metallic copper

GreenCoat HIARC Matt (Standard colours)

Gloss level: 5



RR40 Metallic silver



RR41 Metallic dark silver



RR45 Metallic titanium

Extended colours

- GreenCoat HIARC (steel)
- PVDF (aluminium)
- Powder paint (steel)
- Powder paint (aluminium)

BIM objects



Download BIM objects to your desktop

ProdLib brings Ruukki products as BIM models directly to your desktop in 3D form for design programs AutoCAD, Autodesk Revit, Archicad and Tekla Structures. Product libraries compile all necessary design models and detailed drawings in one place. Library updates are automatically notified, so as a user you can be sure that your product information is constantly up to date. ProdLib can also be used as a standalone desktop application.

Go to BIM library

Download documents

Declaration of performance



Declaration of Performance 25/PP/PAR - Cladding productsPDF. 48.8 KB

Order form



Ruukki Liberta rainscreen panels order form_2.2.4 XLSM, 4.5 MB

Maintenance instructions



Ruukki Cor-Ten facades - maintenance instructions PDF, 70.3 KB



Ruukki powder coated facade claddings - Maintenance instructions PDF, 0.6 MB



Ruukki colour coated steel - Maintenance instructions PDF, 0.6 MB

Accessory documents



EN_Cladding_Accessories_02_2020

PDF, 3.6 MB

References



Meripihka and Meriluoto – housing companies

Ruukki delivered steel façades to the Meripihka and Meriluoto housing companies being built in Helsinki's Jätkäsaari. Approximately 3,000 square metres of Liber...




Zerva

The western facade of the building is equipped with the Ruukki Emotion facade system. The steel facade cassettes are perforated, so that the wall surface create...



Turku Energia – steam generation plant

An artwork, Water Memory, by Finnish artist Mauri Kosonen, forms part of the northwest façade. The artwork has been created using Ruukki Emotion product, where ...



Eventes Business Garden Espoo

Eventes Business Garden located near the Iso Omena Shopping Centre in Espoo is an impressive office building that combines various steel facades in an interesti...

See all rainscreen panel references